

Prepared for:
INDEED BREWING COMPANY

711 15TH AVE NE STE 102
MINNEAPOLIS, MN USA 55413

H5002 BT2

Batch ID or Lot Number: H5002	Test: Potency	Reported: 25Nov2022	USDA License: N/A
Matrix: Unit	Test ID: T000228374	Started: 18Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 22Nov2022	Status: N/A

Cannabinoids


	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.135	0.498	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.123	0.455	ND	ND	
Cannabidiol (CBD)	0.532	1.343	5.170	0.00	
Cannabidiolic Acid (CBDA)	0.546	1.377	ND	ND	
Cannabidivarin (CBDV)	0.126	0.318	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.228	0.575	ND	ND	
Cannabigerol (CBG)	0.077	0.283	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.320	1.182	ND	ND	
Cannabinol (CBN)	0.100	0.369	ND	ND	
Cannabinolic Acid (CBNA)	0.219	0.806	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.382	1.408	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.347	1.279	4.520	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.307	1.133	ND	ND	
Tetrahydrocannabivarin (THCV)	0.070	0.257	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.271	0.999	ND	ND	
Total Cannabinoids			9.690	0.00	
Total Potential THC			4.520	0.00	
Total Potential CBD			5.170	0.00	

Final Approval



Karen Winternheimer
25Nov2022
03:16:00 PM MST

PREPARED BY / DATE



Sam Smith
25Nov2022
03:18:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/e476e28f-b803-46b4-98ee-ade32a31d3da>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
e476e28fb80346b498eeade32a31d3da.1