

Prepared for:
INDEED BREWING COMPANY

711 15TH AVE NE STE 102
MINNEAPOLIS, MN USA 55413

High Fiver BBT 3 5/24/23

Batch ID or Lot Number: H5005	Test: Potency	Reported: 26May2023	USDA License: N/A
Matrix: Unit	Test ID: T000244964	Started: 24May2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 25May2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.153	0.541	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.140	0.494	ND	ND	
Cannabidiol (CBD)	0.446	1.370	5.780	0.00	
Cannabidiolic Acid (CBDA)	0.457	1.405	ND	ND	
Cannabidivarin (CBDV)	0.105	0.324	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.191	0.586	ND	ND	
Cannabigerol (CBG)	0.087	0.307	ND	ND	
Cannabigerolic Acid (CBGA)	0.364	1.283	ND	ND	
Cannabinol (CBN)	0.114	0.400	ND	ND	
Cannabinolic Acid (CBNA)	0.248	0.875	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.434	1.529	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.394	1.388	5.770	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.349	1.230	ND	ND	
Tetrahydrocannabivarin (THCV)	0.079	0.279	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.308	1.085	ND	ND	
Total Cannabinoids			11.550	0.00	
Total Potential THC			5.770	0.00	
Total Potential CBD			5.780	0.00	

Final Approval



Sam Smith
26May2023
04:20:00 PM MDT

PREPARED BY / DATE



Karen Winternheimer
26May2023
04:23:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/750ddc30-169a-46f4-b050-1740ea4b5494>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
750ddc30169a46f4b0501740ea4b5494.1