

Prepared for:
INDEED BREWING COMPANY

711 15TH AVE NE STE 102
MINNEAPOLIS, MN USA 55413

Legacy Can 5/9/23

Batch ID or Lot Number: LEG 001	Test: Potency	Reported: 12May2023	USDA License: N/A
Matrix: Unit	Test ID: T000243660	Started: 10May2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 10May2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.230	0.656	ND	ND	# of Servings = 1, Sample Weight=473g
Cannabichromenic Acid (CBCA)	0.210	0.600	ND	ND	
Cannabidiol (CBD)	0.693	1.758	ND	ND	
Cannabidiolic Acid (CBDA)	0.711	1.803	ND	ND	
Cannabidivarin (CBDV)	0.164	0.416	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.297	0.752	ND	ND	
Cannabigerol (CBG)	0.131	0.373	ND	ND	
Cannabigerolic Acid (CBGA)	0.546	1.558	ND	ND	
Cannabinol (CBN)	0.170	0.486	ND	ND	
Cannabinolic Acid (CBNA)	0.373	1.063	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.651	1.856	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.591	1.686	6.600	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.523	1.493	ND	ND	
Tetrahydrocannabivarin (THCV)	0.119	0.339	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.462	1.317	ND	ND	
Total Cannabinoids			6.600	0.00	
Total Potential THC			6.600	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
12May2023
11:21:00 AM MDT

PREPARED BY / DATE



Sam Smith
12May2023
11:24:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/074d8999-70fa-44d6-b670-475d39df3841>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
074d899970fa44d6b670475d39df3841.1